

**Bird List for Phil Hardberger Park, San Antonio, TX  
February, 2018  
151 Recorded Species**

(Because adequate data is not yet available for the Park, frequency of observation is for Bexar County, TX.)

Subfamily	Genus	Species	English Name	Sp	Season:			Seen	Notes
					Su	Fa	Wi		
<b>ANATIDAE</b>									
	<i>Dendrocygna</i>	<i>autumnalis</i>	Black-bellied Whistling-Duck	C	C	C	C	___	
	<i>Anser</i>	<i>albifrons</i>	Greater White-fronted Goose	V	--	R	R	___	
	<i>Chen</i>	<i>caerulescens</i>	Snow Goose	R	--	R	R	___	
<b>GALLIFORMES</b>									
	<i>Colinus</i>	<i>virginianus</i>	Northern Bobwhite	F	C	F	U	___	
	<i>Meleagris</i>	<i>gallopavo</i>	Wild Turkey	R	R	R	R	___	
<b>SULIFORMES</b>									
	<i>Phalacrocorax</i>	<i>auritus</i>	Double-crested Cormorant	C	R	C	C	___	
<b>PELECANIFORMES</b>									
	<i>Ardea</i>	<i>herodias</i>	Great Blue Heron	C	U	C	C	___	
	<i>Ardea</i>	<i>alba</i>	Great Egret	C	C	C	C	___	
	<i>Egretta</i>	<i>thula</i>	Snowy Egret	F	C	F	U	___	
	<i>Egretta</i>	<i>caerulea</i>	Little Blue Heron	F	F	F	R	___	
	<i>Bubulcus</i>	<i>ibis</i>	Cattle Egret	C	C	C	U	___	
	<i>Butorides</i>	<i>virescens</i>	Green Heron	C	C	C	R	___	
<b>CATHARTIDAE</b>									
	<i>Coragyps</i>	<i>atratus</i>	Black Vulture	C	C	C	C	___	
	<i>Cathartes</i>	<i>aura</i>	Turkey Vulture	C	C	C	C	___	
<b>ACCIPITRIFORMES</b>									
	<i>Pandion</i>	<i>haliaetus</i>	Osprey	F	U	U	F	___	
	<i>Ictinia</i>	<i>mississippiensis</i>	Mississippi Kite	U	R	U	--	___	
	<i>Accipiter</i>	<i>striatus</i>	Sharp-shinned Hawk	F	V	F	F	___	
	<i>Accipiter</i>	<i>cooperii</i>	Cooper's Hawk	F	V	F	F	___	
	<i>Buteo</i>	<i>lineatus</i>	Red-shouldered Hawk	F	F	F	F	___	
	<i>Buteo</i>	<i>platypterus</i>	Broad-winged Hawk	U	--	R	--	___	
	<i>Buteo</i>	<i>swainsoni</i>	Swainson's Hawk	F	U	F	V	___	
	<i>Buteo</i>	<i>jamaicensis</i>	Red-tailed Hawk	C	F	C	C	___	
<b>FALCONIDAE</b>									
	<i>Caracara</i>	<i>cheriway</i>	Crested Caracara	F	F	F	F	___	
	<i>Falco</i>	<i>sparverius</i>	American Kestrel	C	R	C	C	___	
	<i>Falco</i>	<i>columbarius</i>	Merlin	R	--	R	R	___	

Subfamily	Genus	Species	English Name	Sp	Season:			Seen	Notes
					Su	Fa	Wi		
	<i>Falco</i>	<i>peregrinus</i>	Peregrin Falcon	R	--	R	R	___	
CHARADRIIDAE	<i>Charadrius</i>	<i>vociferus</i>	Killdeer	C	C	C	C	___	
SCOLOPACIDAE	<i>Bartramia</i>	<i>longicauda</i>	Upland Sandpiper	U	R	U	--	___	
	<i>Scolopax</i>	<i>minor</i>	American Woodcock	V	-	-	R	___	
LARIDAE	<i>Leucocephaeus</i>	<i>pipixcan</i>	Franklin's Gull	F	R	F	V	___	
	<i>Larus</i>	<i>delawarensis</i>	Ring-billed Gull	C	R	C	C	___	
COLUMBIDAE	<i>Columba</i>	<i>livia</i>	Rock Pigeon	C	C	C	C	___	
	<i>Streptopelia</i>	<i>decaocto</i>	Eurasian Collared-Dove	V	V	V	V	___	
	<i>Zenaida</i>	<i>asiatica</i>	White-winged Dove	C	C	C	C	___	
	<i>Zenaida</i>	<i>macroura</i>	Mourning Dove	C	C	C	C	___	
	<i>Columbina</i>	<i>inca</i>	Inca Dove	C	C	C	C	___	
	<i>Columbina</i>	<i>passerina</i>	Common Ground-Dove	F	F	F	U	___	
CUCULIDAE	<i>Coccyzus</i>	<i>americanus</i>	Yellow-billed Cuckoo	C	C	C	V	___	
	<i>Geococcyx</i>	<i>californianus</i>	Greater Roadrunner	F	F	F	F	___	
STRIGIDAE	<i>Bubo</i>	<i>virginianus</i>	Great Horned Owl	U	U	U	U	___	
	<i>Strix</i>	<i>varia</i>	Barred Owl	U	U	U	U	___	
CAPRIMULGIDAE	<i>Chordeiles</i>	<i>minor</i>	Common Nighthawk	C	C	C	--	___	
	<i>Caprimulgus</i>	<i>carolinensis</i>	Chuck-will's-widow	F	F	F	--	___	
APODIDAE	<i>Chaetura</i>	<i>pelagica</i>	Chimney Swift	C	C	C	V	___	
TROCHILIDA	<i>Archilochus</i>	<i>colubris</i>	Ruby-throated Hummingbird	C	R	C	V	___	
	<i>Archilochus</i>	<i>alexandri</i>	Black-chinned Hummingbird	C	C	C	V	___	
	<i>Selasphorus</i>	<i>rufus</i>	Rufous Hummingbird	R	R	U	U	___	
PICIDAE	<i>Melanerpes</i>	<i>aurifrons</i>	Golden-fronted Woodpecker	C	C	C	C	___	
	<i>Sphyrapicus</i>	<i>varius</i>	Yellow-bellied Sapsucker	U	--	U	U	___	
	<i>Picoides</i>	<i>scalaris</i>	Ladder-backed Woodpecker	C	C	C	C	___	
	<i>Picoides</i>	<i>pubescens</i>	Downy Woodpecker	R	R	R	U	___	
	<i>Colaptes</i>	<i>auratus</i>	Northern Flicker	F	--	F	F	___	
TYRANNIDAE	<i>Contopus</i>	<i>virens</i>	Eastern Wood-Pewee	C	U	U	--	___	
	<i>Empidonax</i>	<i>minimus</i>	Least Flycatcher	C	V	V	--	___	
	<i>Sayornis</i>	<i>phoebe</i>	Eastern Phoebe	C	F	C	C	___	

Subfamily	Genus	Species	English Name	Sp	Season:			Seen	Notes
					Su	Fa	Wi		
	<i>Myiarchus</i>	<i>cinerascens</i>	Ash-throated Flycatcher	C	F	U	R	___	
	<i>Myiarchus</i>	<i>crinitus</i>	Great Crested Flycatcher	C	C	F	--	___	
	<i>Tyrannus</i>	<i>couchii</i>	Couch's Kingbird	U	U	U	U	___	
	<i>Tyrannus</i>	<i>verticalis</i>	Western Kingbird	C	C	F	U	___	
	<i>Tyrannus</i>	<i>tyrannus</i>	Eastern Kingbird	F	R	R	--	___	
	<i>Tyrannus</i>	<i>forficatus</i>	Scissor-tailed Flycatcher	C	C	C	R	___	
<b>LANIIDAE</b>									
	<i>Lanius</i>	<i>ludovicianus</i>	Loggerhead Shrike	C	F	C	C	___	
<b>VIREONIDAE</b>									
	<i>Vireo</i>	<i>griseus</i>	White-eyed Vireo	C	C	C	F	___	
	<i>Vireo</i>	<i>bellii</i>	Bell's Vireo	F	F	U	V	___	
	<i>Vireo</i>	<i>flavifrons</i>	Yellow-throated Vireo	R	R	R	V	___	
	<i>Vireo</i>	<i>solitarius</i>	Blue-headed Vireo	C	--	C	F	___	
	<i>Vireo</i>	<i>huttoni</i>	Hutton's Vireo	R	R	R	R	___	
	<i>Vireo</i>	<i>gilvus</i>	Warbling Vireo	U	--	U	--	___	
	<i>Vireo</i>	<i>olivaceus</i>	Red-eyed Vireo	F	R	R	--	___	
<b>CORVIDAE</b>									
	<i>Cyanocitta</i>	<i>cristata</i>	Blue Jay	C	C	C	C	___	
	<i>Aphelocoma</i>	<i>woodhouseii</i>	Woodhouse's Scrub-Jay	F	F	F	F	___	
	<i>Corvus</i>	<i>brachyrhynchus</i>	American Crow	C	C	C	C	___	
	<i>Corvus</i>	<i>corax</i>	Common Raven	U	U	U	U	___	
<b>HIRUNDINIDAE</b>									
	<i>Progne</i>	<i>subis</i>	Purple Martin	C	C	U	V	___	
	<i>Stelgidopteryx</i>	<i>serripennis</i>	Northern Rough-winged Swallow	F	U	F	V	___	
	<i>Petrochelidon</i>	<i>pyrrhonota</i>	Cliff Swallow	C	C	C	V	___	
	<i>Petrochelidon</i>	<i>fulva</i>	Cave Swallow	C	C	C	C	___	
	<i>Hirundo</i>	<i>rustica</i>	Barn Swallow	C	C	C	R	___	
<b>PARIDAE</b>									
	<i>Poecile</i>	<i>carolinensis</i>	Carolina Chickadee	C	C	C	C	___	
	<i>Baeolophus</i>	<i>atricristatus</i>	Black-crested Titmouse	C	C	C	C	___	
	<i>Auriparus</i>	<i>flaviceps</i>	Verdin	F	F	F	F	___	
<b>SITTIDAE</b>									
	<i>Sitta</i>	<i>canadensis</i>	Red-breasted Nuthatch	R	--	R	R	___	
<b>CERTHIDAE</b>									
	<i>Certhia</i>	<i>americana</i>	Brown Creeper	R	--	R	R	___	
<b>TROGLODYTIDAE</b>									
	<i>Salpinctes</i>	<i>obsoletus</i>	Rock Wren	R	R	R	R	___	
	<i>Campylorhynchus</i>	<i>brunneicapillus</i>	Cactus Wren	R	R	R	R	___	
	<i>Catherpes</i>	<i>mexicanus</i>	Canyon Wren	U	U	U	U	___	
	<i>Thryothorus</i>	<i>ludovicianus</i>	Carolina Wren	C	C	C	C	___	

Subfamily	Genus	Species	English Name	Sp	Season:			Seen	Notes
					Su	Fa	Wi		
POLIOPTILIDAE	<i>Thryomanes</i>	<i>bewickii</i>	Bewick's Wren	C	C	C	C	___	
	<i>Troglodytes</i>	<i>aedon</i>	House Wren	F	--	F	F	___	
REGULIDAE	<i>Polioptila</i>	<i>caerulea</i>	Blue-gray Gnatcatcher	C	U	F	F	___	
REGULIDAE	<i>Regulus</i>	<i>satrapa</i>	Golden-crowned Kinglet	U	--	R	U	___	
	<i>Regulus</i>	<i>calendula</i>	Ruby-crowned Kinglet	C	--	C	C	___	
TURDIDAE	<i>Catharus</i>	<i>guttatus</i>	Hermit Thrush	F	--	F	F	___	
MIMIDAE	<i>Turdus</i>	<i>migratorius</i>	American Robin	F	R	F	F	___	
	<i>Dumetella</i>	<i>carolinensis</i>	Gray Catbird	F	--	U	R	___	
MIMIDAE	<i>Toxostoma</i>	<i>curvirostre</i>	Curve-billed Thrasher	F	F	F	F	___	
	<i>Toxostoma</i>	<i>rufum</i>	Brown Thrasher	U	--	U	U	___	
MIMIDAE	<i>Mimus</i>	<i>polyglottos</i>	Northern Mockingbird	C	C	C	C	___	
	<i>Oreoscoptes</i>	<i>montanus</i>	Sage Thrasher	V	--	V	R	___	
STURNIDAE	<i>Toxostoma</i>	<i>longirostre</i>	Long-billed Thrasher	F	F	F	F	___	
BOMBYCILLIDAE	<i>Sturnus</i>	<i>vulgaris</i>	European Starling	C	C	C	C	___	
PARULIDAE	<i>Bombycilla</i>	<i>cedrorum</i>	Cedar Waxwing	C	--	R	C	___	
PARULIDAE	<i>Mniotilta</i>	<i>varia</i>	Black-and-white Warbler	C	U	F	U	___	
	<i>Oreothlypus</i>	<i>peregrina</i>	Tennessee Warbler	U	--	R	--	___	
PARULIDAE	<i>Oreothlypus</i>	<i>celata</i>	Orange-crowned Warbler	C	--	C	C	___	
	<i>Oreothlypus</i>	<i>ruficapilla</i>	Nashville Warbler	C	--	C	R	___	
PARULIDAE	<i>Setophaga</i>	<i>ruticilla</i>	American Redstart	F	V	U	V	___	
	<i>Setophaga</i>	<i>americana</i>	Northern Parula	U	V	V	V	___	
PARULIDAE	<i>Setophaga</i>	<i>fusca</i>	Blackburnian Warbler	F	V	R	--	___	
	<i>Setophaga</i>	<i>petechia</i>	Yellow Warbler	F	V	F	V	___	
PARULIDAE	<i>Setophaga</i>	<i>pensylvanica</i>	Chestnut-sided Warbler	U	V	R	V	___	
	<i>Setophaga</i>	<i>pinus</i>	Pine Warbler	R	--	R	U	___	
PARULIDAE	<i>Setophaga</i>	<i>coronata</i>	Yellow-rumped Warbler	C	--	C	C	___	
	<i>Setophaga</i>	<i>chrysoparia</i>	Golden-cheeked Warbler	F	F	--	--	___	
PARULIDAE	<i>Setophaga</i>	<i>virens</i>	Black-throated Green Warbler	C	V	F	R	___	
	<i>Cardellina</i>	<i>canadensis</i>	Canada Warbler	U	--	R	V	___	
PARULIDAE	<i>Cardellina</i>	<i>pusilla</i>	Wilson's Warbler	C	V	F	R	___	
	<i>Icteria</i>	<i>virens</i>	Yellow-breasted Chat	F	U	U	V	___	

Subfamily	Genus	Species	English Name	Sp	Season:			Seen	Note
					Su	Fa	Wi		
<b>EMBERIZIDAE</b>									
	<i>Pipilo</i>	<i>chlorurus</i>	Green-tailed Towhee	R	--	R	R	___	
	<i>Pipilo</i>	<i>maculatus</i>	Spotted Towhee	C	--	C	C	___	
	<i>Aimophila</i>	<i>ruficeps</i>	Rufous-crowned Sparrow	F	F	F	U	___	
	<i>Spizella</i>	<i>passerina</i>	Chipping Sparrow	C	R	U	C	___	
	<i>Spizella</i>	<i>pallida</i>	Clay-colored Sparrow	F	--	F	R	___	
	<i>Spizella</i>	<i>pusilla</i>	Field Sparrow	C	R	U	C	___	
	<i>Pooecetes</i>	<i>gramineus</i>	Vesper Sparrow	C	--	C	C	___	
	<i>Chondestes</i>	<i>grammacus</i>	Lark Sparrow	F	F	F	F	___	
	<i>Passerculus</i>	<i>sandwichensis</i>	Savannah Sparrow	C	V	C	C	___	
	<i>Melospiza</i>	<i>melodia</i>	Song Sparrow	F	--	F	C	___	
	<i>Melospiza</i>	<i>lincolnii</i>	Lincoln's Sparrow	C	V	C	C	___	
	<i>Melospiza</i>	<i>georgina</i>	Swamp Sparrow	U	--	U	F	___	
	<i>Zonotrichia</i>	<i>albicollis</i>	White-throated Sparrow	C	--	F	C	___	
	<i>Zonotrichia</i>	<i>querula</i>	Harris's Sparrow	R	--	R	U	___	
	<i>Zonotrichia</i>	<i>leucophrys</i>	White-crowned Sparrow	C	--	C	C	___	
<b>CARDINALIDAE</b>									
	<i>Piranga</i>	<i>rubra</i>	Summer Tanager	F	F	U	R	___	
	<i>Cardinalis</i>	<i>cardinalis</i>	Northern Cardinal	C	C	C	C	___	
	<i>Passerina</i>	<i>caerulea</i>	Blue Grosbeak	C	F	U	V	___	
	<i>Passerina</i>	<i>cyanea</i>	Indigo Bunting	F	U	F	V	___	
	<i>Passerina</i>	<i>ciris</i>	Painted Bunting	C	C	U	V	___	
	<i>Spiza</i>	<i>americana</i>	Dickcissel	C	F	R	V	___	
<b>ICTERIDAE</b>									
	<i>Agelaius</i>	<i>phoeniceus</i>	Red-winged Blackbird	C	C	C	C	___	
	<i>Quiscalus</i>	<i>quiscula</i>	Common Grackle	U	V	U	F	___	
	<i>Quiscalus</i>	<i>mexicanus</i>	Great-tailed Grackle	C	C	C	C	___	
	<i>Molothrus</i>	<i>aeneus</i>	Bronzed Cowbird	U	U	U	R	___	
	<i>Molothrus</i>	<i>ater</i>	Brown-headed Cowbird	C	C	C	C	___	
	<i>Icterus</i>	<i>spurius</i>	Orchard Oriole	F	F	U	--	___	
	<i>Icterus</i>	<i>bullockii</i>	Bullock's Oriole	C	C	U	R	___	
	<i>Icterus</i>	<i>galbula</i>	Baltimore Oriole	C	U	U	R	___	
<b>FRINGILLIDAE</b>									
	<i>Carpodacus</i>	<i>mexicanus</i>	House Finch	C	C	C	C	___	
	<i>Spinus</i>	<i>psaltria</i>	Lesser Goldfinch	U	U	U	U	___	
	<i>Spinus</i>	<i>tristis</i>	American Goldfinch	C	--	C	C	___	
<b>PASSERIDAE</b>									
	<i>Passer</i>	<i>domesticus</i>	House Sparrow	C	C	C	C	___	

**LEGEND**

C = Common; to be expected on an outing

F = Fairly common; should be seen on 1/3 to 2/3 of outings

U = Uncommon; expected to be seen on less than 1/3 of outings

R = Rare; rarely seen

V = Very rare; is so unexpected that it needs convincing documentation